

## Lebanon household codebook

---

hq3_1	serial number
-------	---------------

---

```

                type:  numeric (int)

                range:  [1,4520]                units:  1
unique values:  2485                missing .:  0/2948

                mean:   1736.13
                std. dev: 1179.83

percentiles:           10%           25%           50%           75%           90%
                      316           795.5         1565         2467.5         4024

```

---

hq2_1	serial number
-------	---------------

---

```

                type:  numeric (int)

                range:  [1,4520]                units:  1
unique values:  2485                missing .:  0/2948

                mean:   1736.13
                std. dev: 1179.83

percentiles:           10%           25%           50%           75%           90%
                      316           795.5         1565         2467.5         4024

```

---

hqexist	existing of closed down enterprise
---------	------------------------------------

---

```

                type:  numeric (byte)
                label:  hqexist

                range:  [1,2]                units:  1
unique values:  2                missing .:  69/2948

tabulation:  Freq.   Numeric   Label
              2392        1    no
              487         2    yes
              69          .

```

---

hq4_1	relationship to houshold head
-------	-------------------------------

---

```

                type:  numeric (byte)
                label:  hq4_1, but 1 nonmissing value is not labeled

                range:  [0,10]                units:  1
unique values:  10                missing .:  69/2948

examples:    0
              0
              0

```

---

hq5\_1 main activity

---

```

      type: numeric (byte)
      label: hq5_1, but 1 nonmissing value is not labeled

      range: [0,5]                      units: 1
unique values: 6                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                  2403       0
                  62        1  industy
                  321       2  construction
                   8        3  trad
                  46        4  hotel & restaurant
                  39        5  others services
                  69        .

```

---

hq6\_1 when started (year)

---

```

      type: numeric (int)

      range: [0,2004]                  units: 1
unique values: 51                    missing .: 69/2948

      mean: 329.254
      std. dev: 739.853

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         0      1992

```

---

hq7\_1 when closed down (year)

---

```

      type: numeric (int)

      range: [0,2004]                  units: 1
unique values: 33                    missing .: 69/2948

      mean: 327.484
      std. dev: 739.667

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         0      1998

```

---

hq8\_1 reason of closing down

---

```

      type: numeric (byte)
      label: hq8_1, but 1 nonmissing value is not labeled

      range: [0,4]                      units: 1
unique values: 5                      missing .: 69/2948

```

	Freq.	Numeric	Label
	2415	0	
	167	1	finance
	34	2	managment
	153	3	market
	110	4	other
	69	.	

---

hq9_1	number of workers when closed down
-------	------------------------------------

qexist_1	existing of closed down enterprise
----------	------------------------------------

## hq4\_2 relationship to houshold head

3

```

-----
hq5_2                                     main activity
-----

      type: numeric (byte)
      label: hq5_2, but 1 nonmissing value is not labeled

      range: [0,5]                      units: 1
unique values: 5                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   2786         0
                   11          1  industry
                   64          3  trad
                   8           4  hotel & restaurant
                   10          5  others services
                   69          .

-----
hq6_2                                     when started (year)
-----

      type: numeric (int)

      range: [0,2004]                  units: 1
unique values: 30                      missing .: 69/2948

      mean: 66.4498
      std. dev: 357.847

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         0         0

-----
hq7_2                                     when closed down (year)
-----

      type: numeric (int)

      range: [0,2004]                  units: 1
unique values: 21                      missing .: 69/2948

      mean: 67.3355
      std. dev: 360.674

      percentiles:      10%      25%      50%      75%      90%
                       0         0         0         0         0

-----
hq8_2                                     reason of closing down
-----

      type: numeric (byte)
      label: hq8_2, but 1 nonmissing value is not labeled

      range: [0,4]                      units: 1
unique values: 5                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   2786         0
                   36          1  finance

```

hq9_2	number of workers when closed down
-------	------------------------------------

qexist_2	existing of closed down enterprise
----------	------------------------------------

#### hq4\_3 relationship to houshold head

## h95\_3

5

```

range: [0,5] units: 1
unique values: 5 missing .: 69/2948

```

```

tabulation: Freq. Numeric Label
             2850      0
             6       1  industry
             16      3  trad
             3       4  hotel & restaurant
             4       5  others services
             69      .

```

---

```

hq6_3 when started (year)

```

---

```

type: numeric (int)
range: [0,2004] units: 1
unique values: 12 missing .: 69/2948

```

```

mean: 20.1195
std. dev: 199.489

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0

```

---

```

hq7_3 when closed down (year)

```

---

```

type: numeric (int)
range: [0,2004] units: 1
unique values: 10 missing .: 69/2948

```

```

mean: 20.1563
std. dev: 199.853

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0

```

---

```

hq8_3 reason of closing down

```

---

```

type: numeric (byte)
label: hq8_3, but 1 nonmissing value is not labeled
range: [0,4] units: 1
unique values: 4 missing .: 69/2948

```

```

tabulation: Freq. Numeric Label
             2851      0
             8       1  finance
             9       3  market
            11       4  other
            69      .

```

---

```

hq9_3 number of workers when closed down

```

---

```

-----
                type:  numeric (byte)

                range:  [0,50]                units:  1
unique values:  9                missing .:  69/2948

tabulation:  Freq.  Value
              2860  0
               5    1
               4    2
               1    3
               2    4
               3    6
               1    7
               1   40
               2   50
              69    .

```

```

-----
qexist_3                existing of closed down enterprise
-----

```

```

                type:  numeric (byte)
                label:  qexist_3, but 1 nonmissing value is not labeled

                range:  [0,2]                units:  1
unique values:  3                missing .:  69/2948

tabulation:  Freq.    Numeric  Label
              2850         0
               22         1  no
                7         2  yes
               69         .

```

```

-----
hq4_4                relationship to houshold head
-----

```

```

                type:  numeric (byte)
                label:  hq4_4, but 1 nonmissing value is not labeled

                range:  [0,10]                units:  1
unique values:  5                missing .:  69/2948

tabulation:  Freq.    Numeric  Label
              2871         0
                3         1  head of the household
                2         3  son/daughter
                2         9  other relatives
                1        10  visitor/servant
               69         .

```

```

-----
hq5_4                main activity
-----

```

```

                type:  numeric (byte)
                label:  hq5_4, but 1 nonmissing value is not labeled

                range:  [0,4]                units:  1

```

unique values: 4 missing .: 69/2948

tabulation:	Freq.	Numeric	Label
	2870	0	
	3	1	industry
	4	3	trad
	2	4	hotel & restaurant
	69	.	

---

hq6\_4 when started (year)

---

type: numeric (int)

range: [0,1998] units: 1

unique values: 7 missing .: 69/2948

tabulation:	Freq.	Value
	2871	0
	1	1974
	1	1975
	1	1987
	1	1989
	2	1992
	2	1998
	69	.

---

hq7\_4 when closed down (year)

---

type: numeric (int)

range: [0,2001] units: 1

unique values: 5 missing .: 69/2948

tabulation:	Freq.	Value
	2871	0
	1	1988
	2	1994
	3	2000
	2	2001
	69	.

---

hq8\_4 reason of closing down

---

type: numeric (byte)

label: hq8\_4, but 1 nonmissing value is not labeled

range: [0,4] units: 1

unique values: 4 missing .: 69/2948

tabulation:	Freq.	Numeric	Label
	2871	0	
	1	1	finance
	2	3	market
	5	4	other
	69	.	



hq9_4	number of workers when closed down
-------	------------------------------------

```

      type:  numeric (int)
      range:  [0,150]
unique values: 5
      units:  1
      missing.: 69/2948

      tabulation:  Freq.  Value
                   2871  0
                   4    1
                   2    2
                   1    6
                   1   150
                   69  .

```

hq10	total houshold average monthly expenditure (thousand l.l)
------	---

```

      type:   numeric (long)
      range:  [0,602800]
unique values: 139
      units:   1
      missing : 69/2948

      mean:    1454.68
      std. dev: 11464.5

percentiles:      10%      25%      50%      75%      90%
                  400      600      1000     1500     2000

```

#### hql1\_1 on food houshold average monthly expenditure (thousand l.l)

```

      type:  numeric (double)

      range:  [0,904200]                units:  .01
unique values: 86                      missing .:  69/2948

      mean:   1836.96
      std. dev: 33192.1

percentiles:      10%      25%      50%      75%      90%
                  200      300      400      600      750

```

```

      type:  numeric (double)

      range:  [0,200000]          units:  .1
unique values: 120                missing .: 69/2948

      mean:    356.689
      std. dev: 5760.32

percentiles:      10%      25%      50%      75%      90%

```

25 38 50 90 150

-----  
 hq13\_1 household in debt  
 -----

```

      type: numeric (byte)
      label: hq13_1

      range: [1,2]
unique values: 2
units: 1
missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   2184       1   no
                   695       2   yes
                   69        .
  
```

-----  
 hq14\_1 amount in thousand l.l  
 -----

```

      type: numeric (long)

      range: [0,450000]
unique values: 130
units: 1
missing .: 69/2948

      mean: 3171.65
      std. dev: 14878.2

      percentiles:      10%      25%      50%      75%      90%
                       0        0        0        0      6000
  
```

-----  
 hq14a\_1 currenci  
 -----

```

      type: numeric (byte)
      label: hq14a_1, but 1 nonmissing value is not labeled

      range: [0,2]
unique values: 3
units: 1
missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   2200       0
                   658       1 thousand l.l
                   21       2 us$
                   69        .
  
```

-----  
 hq15\_1 source of debt  
 -----

```

      type: numeric (byte)
      label: hq15_1, but 1 nonmissing value is not labeled

      range: [0,9]
unique values: 9
units: 1
missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   2177       0
                   59       1 own family
  
```

105	2	other relatives
78	3	friends
20	4	neighbours
7	5	birth place freinds
166	6	business colleagues
157	7	bank
110	9	other
69	.	

---

hq15a\_1 other sources

---

```

type: string (str50)
unique values: 1 missing "": 136/2948
tabulation: Freq. Value
              136 ""
              2812 "0"
warning: variable has leading blanks

```

---

hq16\_1 enterprise related to debt

---

```

type: numeric (byte)
label: hq16_1, but 1 nonmissing value is not labeled
range: [0,2] units: 1
unique values: 3 missing .: 69/2948
tabulation: Freq. Numeric Label
              2372 0
              216 1 no
              291 2 yes
              69 .

```

---

hq17\_1 wages and salaries

---

```

type: numeric (long)
range: [0,560000] units: 1
unique values: 78 missing .: 69/2948
mean: 691.115
std. dev: 14784.5
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1000

```

---

hq18\_1 agriculture -m cash

---

```

type: numeric (int)
range: [0,7500] units: 1

```

unique values: 26                      missing .: 69/2948

    mean: 20.3727

    std. dev: 264.086

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

hq19\_1    agriculture - in kind

---

    type: numeric (float)

    range: [0,15000]                      units: .1

unique values: 53                      missing .: 69/2948

    mean: 26.3062

    std. dev: 411.722

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

---

hq20\_1    business revenues from mse's

---

    type: numeric (long)

    range: [0,753500]                      units: 1

unique values: 149                      missing .: 69/2948

    mean: 1654.07

    std. dev: 16513.9

percentiles:	10%	25%	50%	75%	90%
	0	200	750	1500	2500

---

hq21\_1    other business revenues

---

    type: numeric (long)

    range: [0,753500]                      units: 1

unique values: 62                      missing .: 69/2948

    mean: 415.801

    std. dev: 14095.3

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	400

---

hq22\_1    returns to financial assets

---

    type: numeric (int)

    range: [0,5000]                      units: 1

unique values: 33                      missing .: 69/2948

```

        mean:      38.984
        std. dev:  272.393

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq23_1                                returns on other capital assets (real state)

```

---

```

        type:  numeric (int)

        range:  [0,16250]          units:  1
unique values:  29                missing .:  69/2948

        mean:   35.1778
        std. dev: 369.428

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq24_1                                remittances

```

---

```

        type:  numeric (int)

        range:  [0,7500]          units:  1
unique values:  26                missing .:  69/2948

        mean:   43.7822
        std. dev: 285.758

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq25_1                                other public transfers

```

---

```

        type:  numeric (int)

        range:  [0,30000]         units:  1
unique values:  12                missing .:  69/2948

        mean:   22.3383
        std. dev: 790.978

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq26_1                                other private transfers

```

---

```

        type:  numeric (float)

        range:  [0,9000]          units:  .1
unique values:  21                missing .:  69/2948

```

```

      mean:      14.512
    std. dev:    193.063

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq27_1                                                    other source of income

```

---

```

      type:  string (str16)

unique values:  17                                missing " ":  69/2948

examples:  "0"
           "0"
           "0"
           "0"

warning:  variable has embedded blanks

```

---

```

hq27c_1                                                    amount of other income

```

---

```

      type:  numeric (int)

      range:  [0,15000]                                units:  1
unique values:  29                                missing .:  69/2948

      mean:    23.9587
    std. dev:  326.809

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

```

hq28_1                                                    total amount of incam

```

---

```

      type:  numeric (double)

      range:  [0,450000]                                units:  .1
unique values:  317                                missing .:  69/2948

      mean:    2005.43
    std. dev:  8924.03

percentiles:      10%      25%      50%      75%      90%
                  0        600     1200     2000     3600

```

---

```

hq29_1                                                    telephone

```

---

```

      type:  numeric (byte)
    label:  hq29_1, but 1 nonmissing value is not labeled

      range:  [0,3]                                units:  1
unique values:  4                                missing .:  69/2948

```

tabulation:	Freq.	Numeric	Label
	6	0	
	1121	1	no
	1737	2	yes
	15	3	mor than one
	69	.	

---

hq30\_1 private moter vehicle

---

type: numeric (byte)  
label: hq30\_1, but 1 nonmissing value is not labeled

range: [0,3] units: 1  
unique values: 4 missing .: 69/2948

tabulation:	Freq.	Numeric	Label
	3	0	
	541	1	no
	2014	2	yes
	321	3	mor than one
	69	.	

---

hq31\_1 air conditioner

---

type: numeric (byte)  
label: hq31\_1, but 1 nonmissing value is not labeled

range: [0,3] units: 1  
unique values: 4 missing .: 69/2948

tabulation:	Freq.	Numeric	Label
	8	0	
	1629	1	no
	1008	2	yes
	234	3	mor than one
	69	.	

---

hq32\_1 refrigerator

---

type: numeric (byte)  
label: hq32\_1, but 1 nonmissing value is not labeled

range: [0,3] units: 1  
unique values: 4 missing .: 69/2948

tabulation:	Freq.	Numeric	Label
	4	0	
	38	1	no
	2777	2	yes
	60	3	mor than one
	69	.	

---

hq33\_1

washing machine

---

```
      type: numeric (byte)
      label: hq33_1, but 1 nonmissing value is not labeled

      range: [0,3]                      units: 1
unique values: 4                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   5         0
                   65        1   no
                   2790       2   yes
                   19         3   mor than one
                   69         .
```

---

hq34\_1

sewing machine

---

```
      type: numeric (byte)
      label: hq34_1, but 1 nonmissing value is not labeled

      range: [0,3]                      units: 1
unique values: 4                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   11         0
                   2235       1   no
                   625        2   yes
                   8          3   mor than one
                   69         .
```

---

hq35\_1

dishwasher

---

```
      type: numeric (byte)
      label: hq35_1, but 1 nonmissing value is not labeled

      range: [0,2]                      units: 1
unique values: 3                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   9         0
                   2651       1   no
                   219        2   yes
                   69         .
```

---

hq36\_1

computer

---

```
      type: numeric (byte)
      label: hq36_1, but 1 nonmissing value is not labeled

      range: [0,3]                      units: 1
unique values: 4                      missing .: 69/2948

      tabulation: Freq.   Numeric   Label
                   8         0
```



1737	1	no
1088	2	yes
46	3	mor than one
69	.	

---

hq37\_1 cellular phone

---

```

type: numeric (byte)
label: hq37_1, but 1 nonmissing value is not labeled

range: [0,3]          units: 1
unique values: 4      missing .: 69/2948

```

tabulation:	Freq.	Numeric	Label
	10	0	
	791	1	no
	1693	2	yes
	385	3	mor than one
	69	.	

---

hq38\_1 number of room

---

```

type: numeric (byte)

range: [0,33]          units: 1
unique values: 16      missing .: 69/2948

```

```

mean: 4.16151
std. dev: 1.58168

percentiles:      10%      25%      50%      75%      90%
                  3        3        4        5        6

```

---

hq39\_1 ownership of housing unit

---

```

type: numeric (byte)
label: hq39_1, but 1 nonmissing value is not labeled

range: [0,4]          units: 1
unique values: 5      missing .: 69/2948

```

tabulation:	Freq.	Numeric	Label
	16	0	
	2204	1	owned
	611	2	rented
	10	3	squatter
	38	4	other
	69	.	

---

hq39a\_1 if other ownership, specify

---

```

type: string (str16)

```

unique values: 8

missing "": 2931/2948

tabulation:	Freq.	Value
	2931	" "
	1	"ßäÓíĚ"
	3	"ääÚÇæääĚ"
	1	"ãôÇÚ"
	2	"ăŮ Çăăă"
	3	"ääß ÇḂÇÑĚ"
	2	"ääÖá Ĩçîá Çáãîíã"
	1	"ääÖá Ůää"
	4	"æÑÇĚă"

warning: variable has embedded blanks

---